

From: [Crawford, Beth](#)
To: [Moore, Gary](#)
Cc: [Cassidey, LeRoy](#)
Subject: CES Status
Date: Thursday, November 13, 2014 7:31:01 AM
Attachments: [removed.txt](#)

Gary,

Good morning, Here is an update as to where we stand with Veolia and the processing of the vac boxes:

Manifest	Date	Box # (original / shipped)	Weight (manifest / received)	Sulfur (content / surcharge per LB)	Sodium (content / surcharge per LB)	Mercury	CES approval
000832676VES	10/23	VB25141/ VB25333	38,000/ 19,720	19.2%/ \$0.12	1.2%/ \$0.035	Within Parameters	10/29 email
000832683VES	10/29	VB251842/ VB25315	30,000/ 21,460	51%/ \$.030	1.07%/ \$0.035	Within Parameters	10/30 email
000832682VES	11/5	VB640& VB610/ VB25287	28,000/ 26,800	30.0%/ \$0.18	1.21%/ \$0.035	Within Parameters	11/5 email
000832680VES	11/7	VB610, VB618, VB640/VB25206	28,000/				
000832681VES	11/7	VB618/ VB25251	28,000/				
Pending pick-up		VB639/ VB25274					
Pending pick-up		VB639/ VB25341					
Pending pick-up		VB633/ VB25229					
Pending pick-up		VB633/ VB25242					

Veolia has confirmed that none of the loads received today have been completely processed yet. Due to the high sulfur content of the material it is going to take a bit to process, this we knew was a possibility at the beginning of the project. Veolia is supposed to be updating me later today with estimated completion dates for each box. They are also supposed to be getting with me on a pick-up dates for the 4 boxes we currently have onsite.

On another matter after I confirmed with Demita that Lonestar wanted the South Containment in a Vac Box she called back to say it has to be a **VAC TRUCK**. I will move forward with getting the manifest ready for review. Demita is also working on the non-hazardous water tank approvals. I will get an update on that today. On a side note I do have EQ out of Belleville, MI looking at data from the North and South Tank Farms to see if there is any way possible they can treat these organics via chemical oxidation. The naphthalene is a concern for them but they have asked for samples for treat study purposes. To be honest I'm not holding much hope but it doesn't cost us any money to explore the possibility.

I also need to tell you what type of analysis we need to run on the roll-off which contains floor scrapings. It is my understanding the roll-off contains sludge from Vac Box 620 which was non-hazardous as well as scrapings from the pond areas where the water was removed and placed into the sanitary sewer. If you are ok with using generator knowledge to confirm lead less than 1.5 ppm I will say we can leave off TCLP metals and simply run the following: TCLP VOC, TCLP SVOC, TPH, TCL VOC and TCL SVOC. It could be our

TPH results throw us into a Class 1 status assuming this material is non-hazardous. I don't see the need for PCB or pesticide analysis however I want you to be comfortable with signing off on that. Let me know if we need to discuss further.

Leroy has confirmed no free liquids in Vac Box 641. So I will adjust the Republic profile accordingly and we'll get that moving. I did receive your email about shipping as much as possible by 11/24. Please let me know if I have missed any action items otherwise I'll be in touch later today with updated information.

Thanks,



Beth Crawford

Scientist

Applied Science & Engineering

Federal Services

Direct: +1 419 429 5519

Fax: +1 419 425 6085

Beth.Crawford@CBIfederalservices.com

Please Note New Phone Number

CB&I

16380 U.S. Route 224 East Suite 100

Findlay, OH 45840

United States of America

www.CBI.com

This e-mail and any attached files may contain CB&I Federal Services LLC (or its affiliates) confidential and privileged information. This information is protected by law and/or agreements between CB&I Federal Services LLC (or its affiliates) and either you, your employer or any contract provider with which you or your employer are associated. If you are not an intended recipient, please contact the sender by reply e-mail and delete all copies of this e-mail; further, you are notified that disclosing, copying, distributing or taking any action in reliance on the contents of this information is strictly prohibited.

***** ATTACHMENT REMOVED

This message contained an attachment which the administrator has caused to be removed.

***** ATTACHMENT REMOVED

Attachment name: [image001.jpg]
Attachment type: [image/jpeg]